JSC Form 290 (Rev October 16, 2006) (USE JSC Form 290A. SHIPPING CONTINUATION SHEET, IF ADDITIONAL SPACE IS REQUIRED) (Informed August 2008) Other Direct Program Manage Property Custodian Mail Code JE3ec Shipment in Direct Support of: APPROVAL - \*\* Status of Items JD Roberts, EA, 281-461-5109 Location of Item(s) Building Data Package Endosade APPROVAL - Typed Name and Signature QUALITY CONTROL INFORMATION (Check Each) Originator (Name, Org. Code, Phone) Materials Classified (Define Block 25) Shipping Information (Check One) JF 1027 No.: 421 Flight/Mission Essential GSE Space Station Mission: Government Funds (Cite #'s) Collect Prepaid For Flight/Return Relocation Replacement or Credit Test and Return Transfer to Other NASA Center **JSC SHIPPING DOCUMENT** Room Bond We of the second Representative 2007 N/A Alfredo Cavallo,281-483-0287 Contact and Phone Other Non-Flight KOZEKS X X Support Assembly Other, Please Explain GFP To Contractor Other NASA Ctr. Property Repair and Return Loan (Number) Third Party Billing Vendor Pickup 2. Date Prepared 06/21/07 120Mg 15.00 B YES DATE S × × Checked By 34. Recapitulation of Shipment (spaced below to be completed by logistics division only) Issued By NASA and the destination institute. 85521 Ottobrunn Items listed are to support the assembly of scientific instrument for testing, provided under collaborative agreement between NASA and the destination institute. Items listed are Class I. Items to be "Hand Carried" by Hsing Ju, EA/ESCG, 13. Ship То Nem 2 Phone: 281-461-5683 IABG Remarks Mark FootPhone Number: Contact: Stefan Dillinger, Tel. +49 89 6088-3487 Germany Einsteinstrasse 20 SIGNATURE (For Return Shipments to JSC, include Voucher number from block 16) 12. From: Equipment Control No. NASA/Lyndon B. Johnson Space Center Transportation Officer, Bldg. 421 2101 NASA Road 1 Houston, Texas 77058 28. Model/Stock/Part Number NAS1149E0332R Containers NAS1351N3-8 Remove ECN Tag? 

Yes NAS1587-3C PRINTED NAME OF HANDCARRY REP DATE AND Ć Container 4 Washer, Lot #S0724, Class I Socket Head Cap Screw, Lot #37230, Class I Washer, Lot #R1132, Class I □ 8 29, Item Description, Serial No., Manufacturer No., License Plate No., Class of Hardware Lot No., License 2 x 12 x 4 Description **NASHERY** 18. Signature Supply and Equipment Management Office AMS-02 Project 16. Authority Or Purpose 07/07/07 TIME Unit of Issue ea ea ea Total Weight þ O Ω ن is 290A Used? Q. Cube NO <u>~</u> Rec'd By Containers Rec'd Date Rec'd Quantities Rec'd Fig. 232 Number) 2494-207 24. Project Code 22. Bill of Lading Appropriation/Funding Data Mode of Ship; 15. Voucher Number J7-179-013 Contract/Grant/T-order number LORZ. HAND CARRY \$7 KNC 38. Receiving Voucher No. 37. Grand Total 2000 33. Total Value Sheet Total 49.36 49.36 40.00 8.00 1.36

2494.201B

57-179-013

Page 1 of 3

Voucher Number 37-179-013

Ċ	1						ب <del>4.</del> ب	<i>n i</i> 0	<del></del>	
<ul> <li>b. Does the item(s) require any special temperature or humidity control in its handling, packaging, or shipping?         If yes, please identify and provide the following information in Fahrenheit:         Minimum temperature:         Maximum temperature:         Maximum humidity:     </li> </ul>		<ul> <li>e. Does the item(s) contain any compressed pressure systems (e.g. cylinders)? If yes, identify the types of fluid or gas contained in the system and if gas, what is the pressure.</li> </ul>	d. Does the item contain any radioactive materials? (This includes any hazardous radioactive material embedded in the item). If yes, provide a completed JSC Form 1625, "Radioactive Material Transfer Receipt." Ensure the item(s) are identified with the radiation symbols and clearly mark with the label(s) as shown in question 10.	<ul> <li>o. If the item(s) contains Lithium-Ion, Lithium Metal or Lithium Alloy, provide the total Lithium content or Lithium-equivalent per battery (grams).</li> </ul>	b. Does the item(s) contain batteries. If yes, identify the type of battery?	<ul> <li>Does the item(s) listed contain any explosive or pyrotechnic material? If yes, provide the classification and net weight of each item.</li> </ul>	IS THE HARDWARE PACKAGED CORRECTLY FOR ESD SENSITIVITY?  4. Does the item(s) identified on the 290 contain any hazardous chemicals or materials? If yes, identify the type of chemicals or materials and provide the Material Safety Data Sheet for each item.		ne A	Requirements for Packaging, Handling, and Transportation for Aeronautical and Space Systems, Equipment, and Associated Components
☐ Yes 🔀 No	Yes X No	Yes X No	☐ Yes 💢 No	Yes X No	Yes X No	☐ Yes 🔀 No	Yes X No	☐ Yes ※ No	Yes X No	\ssociated Components

J7-179-013

1	2
- 1	뇓
ı	=
ł	굶
ı	ž
ļ	≘
ł	~
ı	quirements for Pac
ı	S
ı	for Packaging, H
١	2
١	
Į	Ţ
ł	흔
1	¥
į	ିଉ
1	Ö
١	=
١	7
١	<u></u>
١	_
١	ᅕ
	~
ĺ	5
İ	=
ı	3
ı	Ö
ı	g, and
ı	, and T
ı	2
ı	Ω
0.000	
1	٦,
ı	g
ŀ	ੜ
ı	<u>0</u>
ı	ᅙ
ı	0
ı	ᇽ
ł	ď
ĺ	=
Į	٥
Į	ion fo
ı	т,
ŀ	0
ſ	ortation for Ae
ı	>
ı	O
ı	7
ı	×
ı	~
ł	~
ļ	=
ı	ㅈ.
ŀ	ŭ
ſ	_
l	ອ
l	3
l	al and Sp
l	m
ı	∺
ı	O)
	ត
ı	
	O
	0
	e S)
	ice Sys
	e Syst
	e Syste
	e System
	e Systems
	stems,
	e Systems, E
	stems,
	stems, Equ
	stems,
	stems, Equ
	stems, Equipment, and As
	stems, Equipment, and Associated Comp
	stems, Equipment, and As
	stems, Equipment, and Associated Comp
	stems, Equipment, and Associated Comp
	stems, Equipment, and Associated Comp

☐ CONTAINS HIGH PRESSURE ☐ DO NOT FREEZE ☐ OTHER	☐ BIOLOGICAL SPECIMENS ☐ TEMPERATURE/HUMIDITY ☐ BADIOACTIVE MATERIAL	CONTROLLED ENVIRONMENT	LIMITED SHELF LIFE ITEMS - PROCESS IMMEDIATELY	CLEANLINESS	ELECTROSTATIC DISCHARGE CONTROL REQUIRMENTS	FRAGILE	PERISHABLE RUSH	FRAGILE LIQUID IN PLASTIC: DO NOT CUT	THIS END UP	DELICATE INSTRUMENT: HANDLE WITH CARE	☐ NASA CRITICAL SPACE ITEM: HANDLE WITH CARE	9. Does this item(s) require any unique labeling and if yes, please check/verify appropriate label(s)	<ol><li>Does this item(s) require special monitoring equipment (e.g. shock, humidity, vibration, or temper sensors)? If yes, identify the type and duration of monitoring required?</li></ol>	7. Does this item(s) require protection from exposure to the elements? If yes, identify. Be sure to change the "revision date" of this form.	<ol><li>Are the item(s) perishable? If yes, identify, describe:</li></ol>
												y appropriate label(s) to be used:	lity, vibration, or temperature	s, identify.	Yes

Date of Request 06/21/07	Johnson Space Center	Reference Number	EA2-07-178-004
Directions: At least 90 days prior to	Directions: At least 90 days prior to exporting hardware, software or data to a foreign national, submit this form to your Export Control Representative	o your Export Control Re	presentative
SECTION 1 (complete for all exports)  Date of Export: 7/5/07			· · · · · · · · · · · · · · · · · · ·
Requested by: Hsing Ju	Org/Company: EA / Jacobs Sverdrup	Phone Number:	(281) 461-5683
Email: Hsingju@escg.jacobs.com	Fax: (281) 461-5926		
General description of export (spell out acronyms)	Fasteners		
is this a temporary export? Yes X No	If yes, when will it be returned? 12/21/07		
What requirement or agreement do we have with the foreign national to provide this export?	reign national to provide this export? JSC28792, Rev. D		
For what purpose it is being exported (what is the end-use?)	Assemble with AMS-02 hardware for testing. Contact:	Stefan Dillinger, Phone +49 89 6088-3487	ne +49 89 6088-3487
To whom is it being exported? (or attach ProForma invoice)	(26) IABG, Einsteinstrasse 20, 85521 Ottobrunn, Germany		
What program does this export support? Alpha Ma.  Type of export (mark all that apply):	Alpha Magnetic Spectrometer (AMS) - 02 Date denied parties/entities list checked:	ntities list checked:	6/27/07
X Hardware Software Data	ita Information via discussions		
(If you checked hardware or software, please attach a completed Proforma Invoice	a completed Proforma Invoice		
Method of export (mark all that apply):  Discussion  JSC Transportation Office	X Hand carry JSC Mail Room Electronic Other	ler	
SECTION 2 Export Classification EAR99/NLR		1	
Classification rationale Fasteners are sent to support AMS assembly. with U.S. Export Regulations.	Classification per memo from NASA	HQ/UM to JSC/OZ2, dated 3/28/02.	2. Status of AMS compliance
SECTION 3			
Stephen Lamkin	6/27/07 (281)483-8264	1264	
Signature of Export Control Official (ECR or CEA)	Date Phone (281) 483-8264 Phone	8264	
ES T Approval (req'd for use of export license and license exemption/exception only) Date	remption/exception only) Date Phone		
JSC Form 1724 (Rev March 27, 2003) (Informed September 2000)			

_				Ţ	Τ.		Ţ	7	<u> </u>	T	$\top$	w	2	T -	_	1	CHYL	m
raffic		-													Item	The	rans VAS/ Joust 281-	Shipper:
: Man												∞	∞	. ∞	Qty	ese ite	porta A Joh A Joh Ion, T 483-6	
Traffic Management Specialist E												NAS1149E0332R, Washer, Lot #S0724, Class I	NAS1587-3C, Washer, Lot #R1132, Class I	NAS1351N3-8, Socket Head Cap Screw, Lot #37230, Class I	Detailed Description	"These items are exported from the United States for ultimate destination Germany, in accordance with the Export Administration Regulations. Diversion, retransfer, disclosure, or use contrary to applications specified in NASA agreement without prior written U.S. authorization are prohibited."	Transportation Officer, JB7 NASA Johnson Space Center Houston, Texas 77058 (281-483-6512)	
Date This										,		NONE	NONE	NONE	NASA Tag and/or Serial/Stock Number	tates for ultimate destir applications specifi		Int
s not		-	_		_		-		ļ	_	-					nation ed in N		ermed
<u>This is not a sale, value shown is for Customs purposes only.</u>												KJL- USA	Hatch - USA	KJL - USA	Manufacturer Country of Origin	Germany, in acco		Intermediate Cosignee (when required):
wn is for C	-														* Weight (kgs)	rdance with without prior		hen requir
ustoms purp												EAR99	EAR99	EAR99	ECCN/USMIL CAT	the Export Ad written U.S. a		ed):
												NLR	NLR	NILR	License/ Exemption/ Exception	ministration Ruthorization a		
Notes: 1. This form must be completed for all exports. 2. Shipments to Russia require invoice transition by initator.	·														Schedule B No. (see census.gov)	egulations. Diversio	IABG Einsteinstrasse 20 85521 Ottobrunn Germany	Destination (include phone contact):
be complet	Total All Sheets:														Sched. B Qty	n, retransfe		e phone co
ed for all exports e invoice transiti	Sheets: <u>\$49.36</u>					-						\$1.00	\$0.17	\$5.00	Unit Value	r, disclosure, or ι	Contact: Stefan Dillinger Phone: +49 89 6088-3487	intact):
on by initator.	6											\$8.00	\$1.36	\$40.00	Total Cost	use contrary to	nger :	

JSC Form 1735 (Rev June 24, 2004) (Informed April 2004)

This is not a sale, value shown is for Customs purposes only.

☐ LITHIUM BATTERIES ☐ CHAINS ☐ "NOT RESTRICTED AS PER SPECIAL PROVISION A 45" CAO ONLY ☐ AIR RIDE	D PPP-5-760. NYLON TAPE  FIGURE PPP-5-760. NYLON BAND  FIHAFOAM  OTHER	I3 KIMPACK 50 FOAM 50 FOAM 13464 DESICCANTS 135 HUMIDITY INDICATOR 15196 VERMICULITE SHIRINK WRAP MACHINE TAPE 15196 E	PACKING MATERIAL:  C / PPP-B-26 ZIPLOC BAGS C PPP-B-28 PLASTIC BAGS C MIL-C-81013 BUBBLE PACK	CONTAINER:  LAI PPP-B-636 CARTON RIWALL PPP-B-601 WOOD BOX W/SKIDS & CLEATS PPP-B-621 WOOD BOX SUITCASE/CONTAINER PPP-T-495 MAILING TUBE
☐ STRAPS ☐ CHAINS ☐ PADS ☐ TARPS	RIGGERS NEEDED 1FLATBED 1SINGLE DROP 1DOUBLE DROP 1ENCLOSED	CONTROLLED ENVIRONMENT TEMPERATURE/HUMIDITY DO NOT FREEZE OTHER EXTRAS:	DFRAGILE  ESMALL PARTS ENCLOSED  DELECTROSTATIC DISCHARGE CONTROL REQ.  DCLEANLINESS  DDO NOT X-RAY  LIMITED SHELELLER TENG DECCESS TO A CENTROL REQ.	LABELS:  ZNASA CRITICAL SPACE ITEM: HANDLE WITH CARE  DELICATE INSTRUMENT: HANDLE WITH CARE  THIS END UP  FRAGILE LIQUID IN GLASS: HANDLE WITH CARE  FRAGILE LIQUID IN PLASTIC: DO NOT CUT  PERISHABLE RUSH